


*(move cursor over state abbreviation to display death rates by year)*



*(move cursor over state abbreviation to display death rates by year)*



\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2015 on CDC WONDER Online Database, released 2016. Data are from the Multiple Cause of Death Files, 1999-2015, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

# 1999 Death Rates for Opioid Drug\* Overdose by State





Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified opioid drug can be either a prescription or illicit drug.

\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

# 2000 Death Rates for Opioid Drug \* Overdose by State





Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified opioid drug can be either a prescription or illicit drug.

\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.



# 2001 Death Rates for Opioid Drug \* Overdose by State





Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified opioid drug can be either a prescription or illicit drug.

\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

# 2002 Death Rates for Opioid Drug \* Overdose by State



Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified opioid drug can be either a prescription or illicit drug.


\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.



Age adjusted rate per 100,000 population



**\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.**

  $\geq 15.0$  death rate







\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or dispensed under Federal law. An unspecified

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of

more. A RES(R) of 25 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

# 2005 Death Rates for Opioid Drug \* Overdose by State



Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified opioid drug can be either a prescription or illicit drug.

\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.







**PDMP TTAC**  
Prescription Drug Monitoring Program Training and Technical Assistance Center

**Age adjusted rate per 100,000 population**

- <= 4.9 death rate
- 5.0 to 9.9 death rate
- 10.0 to 14.9 death rate

\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified

**Age adjusted rate per  
100,000 population**

	$\leq 4.9$ death rate
	5.0 to 9.9 death rate
	10.0 to 14.9 death rate
	$\geq 15.0$ death rate
	Data unreliable or suppressed**

\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

PDMP TTAC PDMP TTAC PDMP TTAC PDMP TTAC PDMP TTAC PDMP TTAC PDMP TTAC PDMP TTAC PDMP TTAC PDMP TTAC



PMP TTAC PDMP TTAC PDMP TTAC MS AL PDMP TTAC PDMP TTAC

Prescription Drug Monitoring Program Training and Technical Assistance Center




prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified

Source: Centers for Disease Control and Prevention, National Center for

20 years. A PES(P) of 33 percent is considered statistically significant.

# 2008 Death Rates for Opioid Drug \* Overdose by State




\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified opioid drug can be either a prescription or illicit drug.

\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.



ME



\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified opioid drug can be either a prescription or illicit drug.

 <= 4.9 death rate

 5.0 to 9.9 death rate

 10.0 to 14.9 death rate

 >= 15.0 death rate

 Data unreliable or suppressed \*\*

\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.





**PDMP TTAC**  
Prescription Drug Monitoring Program Training and Technical Assistance Center

**Age adjusted rate per 100,000 population**

- <= 4.9 death rate
- 5.0 to 9.9 death rate
- 10.0 to 14.9 death rate
- 15.0 or higher death rate

\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified

**Age adjusted rate per  
100,000 population**

	$\leq 4.9$ death rate
	5.0 to 9.9 death rate
	10.0 to 14.9 death rate
	$\geq 15.0$ death rate
	Data unreliable or suppressed**

\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified opioid drug can be either a prescription or illicit drug.

\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.




**PDMP TTAC**  
Prescription Drug Monitoring Program Training and Technical Assistance Center

**Age adjusted rate per 100,000 population**

- <= 4.9 death rate
- 5.0 to 9.9 death rate
- 10.0 to 14.9 death rate
- 15.0 or higher death rate

\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified

**Age adjusted rate per  
100,000 population**


	$\leq 4.9$ death rate
	5.0 to 9.9 death rate
	10.0 to 14.9 death rate
	$\geq 15.0$ death rate
	Data unreliable or suppressed**

\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.



# 2012 Death Rates for Opioid Drug \* Overdose by State





\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified opioid drug can be either a prescription or illicit drug.

\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

# 2013 Death Rates for Opioid Drug \* Overdose by State





Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified opioid drug can be either a prescription or illicit drug.

\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

# 2014 Death Rates for Opioid Drug \* Overdose by State




\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified opioid drug can be either a prescription or illicit drug.

\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.



# 2015 Death Rates for Opioid Drug \* Overdose by State



Age adjusted rate per  
100,000 population

- ≤ 4.9 death rate
- 5.0 to 9.9 death rate
- 10.0 to 14.9 death rate
- ≥ 15.0 death rate
- Data unreliable or suppressed \*\*

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2015 on CDC WONDER Online Database, released 2016. Data are from the Multiple Cause of Death Files, 1999-2015, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

\*Opioid Drugs - refer to prescription, illicit, and unspecified drugs containing opioids. A prescription opioid drug requires a medical prescription to be dispensed. An illicit opioid drug is not allowed to be prescribed or possessed under Federal Law. An unspecified opioid drug can be either a prescription or illicit drug.

\*\*Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.