



1999 - 2015 Average Death Rates for Prescription Opioid* Overdose by State

[View Data Tables](#)

(move cursor over state abbreviation to display death rates by year)





Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2015 on CDC WONDER Online Database, released 2016. Data are from the Multiple Cause of Death Files, 1999-2015, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

1999 Death Rates for Prescription Opioid* Overdose by State





Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RSE(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

2000 Death Rates for Prescription Opioid* Overdose by State





*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RSE(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

2001 Death Rates for Prescription Opioid* Overdose by State





*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RSE(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

2002 Death Rates for Prescription Opioid* Overdose by State





Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

2003 Death Rates for Prescription Opioid* Overdose by State





*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RSE(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

2004 Death Rates for Prescription Opioid* Overdose by State





Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

2005 Death Rates for Prescription Opioid* Overdose by State





Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

2006 Death Rates for Prescription Opioid* Overdose by State




Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RSE(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

2007 Death Rates for Prescription Opioid* Overdose by State





*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RSE(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

2008 Death Rates for Prescription Opioid* Overdose by State




Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RSE(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.






2009 Death Rates for Prescription Opioid* Overdose by State




Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

PDMP TTAC
Prescription Drug Monitoring Program Training and Technical Assistance Center

Age adjusted rate per 100,000 population

	<= 4.9 death rate
	5.0 to 9.9 death rate
	10.0 to 14.9 death rate
	>= 15.0 death rate
	Data unreliable or suppressed **






2010 Death Rates for Prescription Opioid* Overdose by State





Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

PDMP TTAC
Prescription Drug Monitoring Program Training and Technical Assistance Center

Age adjusted rate per 100,000 population

	<= 4.9 death rate
	5.0 to 9.9 death rate
	10.0 to 14.9 death rate
	>= 15.0 death rate
	Data unreliable or suppressed **

2011 Death Rates for Prescription Opioid* Overdose by State




*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.






2012 Death Rates for Prescription Opioid* Overdose by State




Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

PDMP TTAC
Prescription Drug Monitoring Program Training and Technical Assistance Center

Age adjusted rate per 100,000 population

	<= 4.9 death rate
	5.0 to 9.9 death rate
	10.0 to 14.9 death rate
	>= 15.0 death rate
	Data unreliable or suppressed **

2013 Death Rates for Prescription Opioid* Overdose by State




*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RSE(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

2014 Death Rates for Prescription Opioid* Overdose by State




*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015. Data are from the Multiple Cause of Death Files, 1999-2014, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.


PDMP TTAC
Prescription Drug Monitoring Program Training and Technical Assistance Center


**Age adjusted rate per
100,000 population**

 <= 4.9 death rate



5.0 to 9.9 death rate

10.0 to 14.9 death rate

 ≥ 15.0 death rate

 Data unreliable or suppressed **

2015 Death Rates for Prescription Opioid* Overdose by State



Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Multiple Cause of Death 1999-2015 on CDC WONDER Online Database, released 2016. Data are from the Multiple Cause of Death Files, 1999-2015, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program.

*Prescription Opioid - refers to a pharmaceutical drug that contains opioids and requires a medical prescription to be dispensed. Excludes illicit and unspecified drugs containing an opioid.

**Death rates based on counts of less than twenty (death count < 20) are flagged as "Unreliable". A death rate based on fewer than 20 deaths has a relative standard error (RSE(R)) of 23 percent or more. A RES(R) of 23 percent is considered statistically unreliable. Death counts and death rates are "Suppressed" when the figure represents zero to nine (0-9) persons.